
























Pos.	Number	Description	Qty
1	47-0008	Air handle	1
2	47-0009	Air bar	1
3	B-360514	Buttonhead screw M5x14 ISO 7380	1
4	B-210000	Nut M5 DIN 934 8.8	1
5	46-120	Connection plate	1
6	B-220008	Prevailing torque nut	1
7	47-118	Damper plate	1
8	B-010010	Washer 10 mm DIN125A	1
9	Fje-701325	Spring	1
10	B-020006	Plain washer 6 mm DIN9021	1
11	B-360508	Button head screw M5 x 8	1
12	4732	Damper, welded	1
13	B-300510	Screw countersunk M5x10 DIN7991	1











C





Pos.	Number	Description	Qty
1	46-0009	Smoke shelf	1
2	46-0007	Insulation side left	1
3	46-0005	Insulation back left	1
4	46-0006	Insulation back right	1
5	46-0008	Insulation side right	1
6	46-0003	Insulation bottom	2














Pos.	Number	Description	Qty
1	4709	Front frame welded	1
2	B-360508	Button head screw M5 x 8	4
3	P-120802	Seal	1
4	4701	Knee	1





H











Pos.	Numbe	Description	Qty
1	47-222	Steel edge	1
2	57-210	Log stop	1






















Pos.	Number	Description	Qty
1	B-370830	Hex cap screw M8x30 DIN933	33
2	B-210008	Nut M8 DIN 934 8.8	2





G











A



Pos.	Number	Description	Qty
1	B-300408	Hex socket countersunk head screw M4x8 DIN 914	4
2	47-030	Back frame	1
3	47-520	Seal	2
4	47-502	Glass	1
5	47-026	Closing hook	1
6	B-340506	Socket set screw M5x6 DIN 914	1
7	B-330525	Set screw M5x25 DIN913 H45	1
8	47-310	Air handle	1
9	4710	Door plate welded	1
10	4778	Closing mechanism, welded	1





Pos.	Number	Description	Qty
1	B-650610	Hex ribbed flange bolt M6x10	9
2	4854	Welded bottom hinge on stove	2
3	B-300510	Screw countersunk M5x10 DIN 913	1
4	48-252	Arm for spring	1
5	Fje-02958	Spring stainless stel	1
6	B-360408	Button head screw M4 x 8	1
7	78-312	Bushing	2
8	48001	Welded top roll	1
9	47-036	Hinge block	1
10	B-051014	Washer Brass	1
11	B-650620	Hex ribbed flange bolt M6x20	3
12	48003	Welded bottom roll	1
13	B-360406	Button head screw M4 x 6 ISO 10.9	1

